


NORDICFENDER®

MIND THE GAP



MIND THE GAP

PRODUCT RANGE

Nordic Fender offers a wide range of marine fenders and impact profiles for various applications.

Our wide range of products and services ensures you an optimal and cost-effective partner within maritime protection.

PNEUMATIC FENDERS

Our Pneumatic Fenders are first class fenders manufactured in full compliance with ISO 17357-1:2014. We promise outstanding performance and durability, supporting you in running a safe operation – on time!

RANGE:

Sling fenders

Chain & tire net fenders

Hydro fenders



ACCESSORIES

Nordic Fender will provide you with all types of rigging gear, with supporting documents as per request. In addition to this we can provide all sorts of hoses for liquid cargo handling. From bunker to heavy duty STS hoses.

TYPICAL ADDITIONAL GEAR TO BE FOUND ON SUCH LIST:

Guy ropes (securing fender to ship)

Connecting ropes (either wire or mixed ropes)

Hardware such as shackles, swivels, masterlink, rings etc.

Composite transfer hoses

Rubber bunker hoses

Lifting slings

Nordic Fender will provide you with all types of rigging gear, with supporting documents as per request.



FOAM FILLED FENDERS

Foam offers more flexibility as dimensions and performance characteristics can be customized according to type of project and specific requirements. Different type of application requires different type of solution.

RANGE:

Chain type

Steel type

PU type



RENTAL

Nordic Fender offers rental services of pneumatic fenders and STS equipment from all bases.

STOCK POINTS:

Singapore

Middle East

The Netherlands

Norway



FIXED FENDERS

Nordic Fender supplies all sorts of profile fenders, in rubber or foam/PU.

RANGE:

D Fender – for vessels and ports

Cylindrical Fender

Keyhole Fender

W/M Fender

Wing Fender



SERVICE

Our service team and partners are mobile and can assist world-wide.

WE OFFER:

Fender inspection

Safety valve testing and re-certification

Simple repairs

Complete re-netting

Training

Hose services, maintenance and certification

As the condition of the fenders are critical for any ship to ship or ship to quay operations, we strongly emphasize the need for proper maintenance and service program. Contact our team for any questions related to this.



NORDICFENDER®

Bogsnes 25
NO-5460 Husnes, Norway


T +47 48 16 08 00
E post@nordicfender.com

nordicfender.com

NORWAY

THE NETHERLANDS

UAE



zpirit.no

FENDER	TYPE	DIAMETER (mm)	LENGTH (mm)	TOT. WEIGHT (kg)	INTERNAL PRESSURE 50 kPa		INTERNAL PRESSURE 80 kPa	
					ENERGY ABS (E.A) (kJm)	REACTION FORCE (R.F) (kN)	ENERGY ABS (E.A) (kJm)	REACTION FORCE (R.F) (kN)
NF-P-0510-50-S	Sling	500	1000	37	6	64	8	85
NF-P-0715-50-S	Sling	700	1500	65	17	137	24	180
NF-P-0815-50-S	Sling	800	1500	83	20	146	29	191
NF-P-0815-50-C	Chain&tyre net (CTN)	800	1500	249	20	146	29	191
NF-P-1015-50-S	Sling	1000	1500	120	32	182	45	239
NF-P-1015-50-C	Chain&tyre net (CTN)	1000	1500	286	32	182	45	239
NF-P-1020-50-S	Sling	1000	2000	146	45	257	63	338
NF-P-1020-50-C	Chain&tyre net (CTN)	1000	2000	324	45	257	63	338
NF-P-1220-50-S	Sling	1200	2000	192	63	297	88	390
NF-P-1220-50-C	Chain&tyre net (CTN)	1200	2000	412	63	297	88	390
NF-P-1325-50-S	Sling	1350	2500	258	102	427	142	561
NF-P-1325-50-C	Chain&tyre net (CTN)	1350	2500	611	102	427	142	561
NF-P-1525-50-S	Sling	1500	2500	290	123	464	171	610
NF-P-1525-50-C	Chain&tyre net (CTN)	1500	2500	655	123	464	171	610
NF-P-1530-50-S	Sling	1500	3000	332	153	579	214	761
NF-P-1530-50-C	Chain&tyre net (CTN)	1500	3000	715	153	579	214	761
NF-P-1730-50-S	Sling	1700	3000	415	191	639	267	840
NF-P-1730-50-C	Chain&tyre net (CTN)	1700	3000	809	191	639	267	840
NF-P-2030-50-S	Sling	2000	3000	534	264	750	369	986
NF-P-2030-50-C	Chain&tyre net (CTN)	2000	3000	1328	264	750	369	986
NF-P-2035-50-S	Sling	2000	3500	594	308	875	430	1150
NF-P-2035-50-C	Chain&tyre net (CTN)	2000	3500	1414	308	875	430	1150
NF-P-2540-50-S	Sling	2500	4000	1080	663	1381	925	1815
NF-P-2540-50-C	Chain&tyre net (CTN)	2500	4000	2266	663	1381	925	1815
NF-P-2555-50-S	Sling	2500	5500	1325	943	2019	1317	2653
NF-P-2555-50-C	Chain&tyre net (CTN)	2500	5500	2840	943	2019	1317	2653
NF-P-3050-50-S	Sling	3000	5000	1705	1079	1903	1506	2501
NF-P-3050-50-C	Chain&tyre net (CTN)	3000	5000	3595	1079	1903	1506	2501
NF-P-3345-50-S	Sling	3300	4500	1770	1175	1884	1640	2476
NF-P-3345-50-C	Chain&tyre net (CTN)	3300	4500	3987	1175	1884	1640	2476
NF-P-3365-50-S	Sling	3300	6500	2225	1814	3015	2532	3961
NF-P-3365-50-C	Chain&tyre net (CTN)	3300	6500	5119	1814	3015	2532	3961
NF-P-4570-50-S	Sling	4500	7000	3660	3696	4470	5159	5873
NF-P-4570-50-C	Chain&tyre net (CTN)	4500	7000	8171	3696	4470	5159	5873
NF-P-4590-50-S	Sling	4500	9000	4380	4752	5747	6633	7551
NF-P-4590-50-C	Chain&tyre net (CTN)	4500	9000	10591	4752	5747	6633	7551